



# **Software Release Notes**

InterDriver 2017.1 M-3

For Honeywell and Intermec bar code label and receipt printers

May 2018

## Overview

InterDriver is the Microsoft ® Windows driver for Intermec and Honeywell brand printers.

This document describes the new and improved features in InterDriver but is not meant as a "how-to" guide. For details on the features of the Installer Wizard or InterDriver, see the online help included with the software.

## Supported Hardware

- All Intermec and Honeywell printers listed in the Intermec.inf and Honeywell.inf files supplied with the download package.

Please refer to the online help or the printer user manual for additional information on the features and use of InterDriver with your printers.

## Version 2017.1 M-3 Key Features

Released May 2018

### New Functionality

Add 5IPS support in PC42t plus printer driver

Update media setting and darkness setting for PC42d printer

Microsoft Windows Certified driver

### Fixed/Changed Functionality

Printer driver up-dated to generate correct code for GS1-Datamatrix barcode via Bartender

Media Calibration mode default value at "Options page" on Interdriver\_2017.0\_M\_0 is different with webpage

PC42T/PC42D printer failed to connect SDT via USB method on Interdriver\_2017\_M-0.

Interdriver Issue-Top Adj value on InterDriver 2017.1 M-0 is inconsistent with webpage when the printer language is Autosense

### Release Package

Item	Details
InterDriver version	2017.1 M-3 Certified
Supported printers	EasyCoder PD41, PD42, PF2i, PF4i, PM4i, PX4i, PX6i Intermec PB21, PB22, PB31, PB32, PC23d, PC43d, PC43t, PD43, PD43c, PM23c, PM43, PM43c Honeywell PC42t, PM42, PC42d, PC42t plus
Supported Operating Systems	Windows 7, Windows 8.1 and Windows 10. Windows Server 2008 R2, 2012 R2 and 2016, 32-bit and 64-bit editions